Wood Science Index . . . Vol. 7, 1974-75

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at a cost of 20¢ per printed page with a $1.50 maximum charge per reprint. The reprint number and cost per single copy are listed for each entry. Bulk rates are also available. A check or money order must accompany each order.

FPRS Subject Index

PRODUCTS DIVISION

Bark and Residues

Chemical Constituents of Loblolly Pine Bark, G. D. McGinnis and S. Parikh, 4:295 (No. 5209—$.80)

Determining Moisture Content and Moisture Sorption in Douglas-Fir Bark, J. D. Litvay and M. D. McKimmy, 4:284 (No. 5141—$1.50)

Season and Height Variation in Extractives and Cell Wall Components of Chestnut Oak Bark, A. P. Binotto and W. K. Murphey, 3:185 (No. 5142—$1.40)

Particleboard and Molded Products

Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, F. C. Beall, W. J. Young, and A. E. Witt, 3:213 (No. 5220—$1.20)

Residential and Commercial Buildings

Composite and Two-Way Action in Wood Joist Floor Systems, Goodman, J. R., M. P. Vanderbilt, M. E. Criswell, and J. Bodig, 1:25 (No. 5114—$1.80)

Treated Wood Products

Chemical Modification of Wood: Reactions of Alkylene Oxides With Southern Yellow Pine, R. M. Rowell and D. I. Gutzmer, 3:240 (No. 5240—$1.40)

Combustion of Cellulosic Materials and Its Retardance—Status and Trends. Part I. Ignition, Combustion Processes, and Syngerism, S. C. Juneja, 3:201 (No. 5282—$1.50)

Electron Probe X-Ray Analysis of Selected Anatomical Structures in Copper-Chrome-Arsenic-Treated Wood, H. Greaves, 2:164 (No. 5229—$1.00)

Factors Influencing the Transient Flow of Oils Into Coniferous Woods, A. P. M. Galvao, J. F. Siau, and C. Skaar, 2:85 (No. 5083—$1.40)

Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, F. C. Beall, W. J. Young, and A. E. Witt, 3:213 (No. 5220—$1.20)

Sorption of Styrene and Acrylonitrile by Wood Aerogels, R. K. Bower and J. D. Wellons, 2:123 (No. 5224—$1.50)

Specific Gravity, Viscosity, and Temperature Relationships of Aqueous PEG-1000 Solutions, H. N. Rosen, 4:308 (No. 5328—$.40)

Stability of Amino-Resin Fire Retardants, S. C. Juneja and D. P. C. Fung, 2:160 (No. 5202—$.80)

PROCESSES DIVISION

Drying and Storage

Analysis of Free-Water Flow During Drying in Softwoods, A. T. Wiley and E. T. Choong, 4:310 (No. 5312—$1.50)

Effect of Air-Drying and Rewetting on Hardwood Permeability, P. Y. S. Chen, 4:280 (No. 5016—$.80)

Effect of Steaming on the Drying Rate of Several Species of Wood, W. T. Simpson, 3:247 (No. 5244—$1.50)

Effects of Soaking in Extractives and Prefreezing on the Drying Behavior of Eastern Cottonwood, G. A. Cooper and S. H. Barham, 4:267 (No. 5131—$.60)

Placing Thermocouples in Wood, G. Bramhall, 2:137 (TN-262—$.60)

Proposed Explanation for the Phenomonological Rheology of Prefrozen Redwood, M. M. Chen 1:34 (No. 4963—$1.80)

Shrinkage-Strain-Control (S-S-C)—a New Approach to the Process of Kiln-Drying Wood, E. D. Bello and H. Kubler, 3:191 (No. 5143—$1.40)

Study on Drying of Tree Cross Sections, H. Kubler, 3:173 (No. 5162—$1.50)

Vortex Enhancement of Parallel Plate Heat and Mass Transport, R. N. Meroney and G. Hsi, 4:328 (No. 5297—$1.50)

Gluing

Activation Energy of the Curing Reaction of Phenolic Resin in the Presence of Woods, H. Mizumachi and H. Morita, 3:256 (No. 5004—$1.00)

Wood Science Index . . . Vol. 7, 1974-75

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at a cost of 20¢ per printed page with a $1.50 maximum charge per reprint. The reprint number and cost per single copy are listed for each entry. Bulk rates are also available. A check or money order must accompany each order.

FPRS Subject Index

PRODUCTS DIVISION

Bark and Residues

Chemical Constituents of Loblolly Pine Bark, G. D. McGinnis and S. Parikh, 4:295 (No. 5209—$.80)

Determining Moisture Content and Moisture Sorption in Douglas-Fir Bark, J. D. Litvay and M. D. McKimmy, 4:284 (No. 5141—$1.50)

Season and Height Variation in Extractives and Cell Wall Components of Chestnut Oak Bark, A. P. Binotto and W. K. Murphey, 3:185 (No. 5142—$1.40)

Particleboard and Molded Products

Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, F. C. Beall, W. J. Young, and A. E. Witt, 3:213 (No. 5220—$1.20)

Residential and Commercial Buildings

Composite and Two-Way Action in Wood Joist Floor Systems, Goodman, J. R., M. P. Vanderbilt, M. E. Criswell, and J. Bodig, 1:25 (No. 5114—$1.80)

Treated Wood Products

Chemical Modification of Wood: Reactions of Alkylene Oxides With Southern Yellow Pine, R. M. Rowell and D. I. Gutzmer, 3:240 (No. 5240—$1.40)

Combustion of Cellulosic Materials and Its Retardance—Status and Trends. Part I. Ignition, Combustion Processes, and Syngerism, S. C. Juneja, 3:201 (No. 5282—$1.50)

Electron Probe X-Ray Analysis of Selected Anatomical Structures in Copper-Chrome-Arsenic-Treated Wood, H. Greaves, 2:164 (No. 5229—$1.00)

Factors Influencing the Transient Flow of Oils Into Coniferous Woods, A. P. M. Galvao, J. F. Siau, and C. Skaar, 2:85 (No. 5083—$1.40)

Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, F. C. Beall, W. J. Young, and A. E. Witt, 3:213 (No. 5220—$1.20)

Sorption of Styrene and Acrylonitrile by Wood Aerogels, R. K. Bower and J. D. Wellons, 2:123 (No. 5224—$1.50)

Specific Gravity, Viscosity, and Temperature Relationships of Aqueous PEG-1000 Solutions, H. N. Rosen, 4:308 (No. 5328—$.40)

Stability of Amino-Resin Fire Retardants, S. C. Juneja and D. P. C. Fung, 2:160 (No. 5202—$.80)

PROCESSES DIVISION

Drying and Storage

Analysis of Free-Water Flow During Drying in Softwoods, A. T. Wiley and E. T. Choong, 4:310 (No. 5312—$1.50)

Effect of Air-Drying and Rewetting on Hardwood Permeability, P. Y. S. Chen, 4:280 (No. 5016—$.80)

Effect of Steaming on the Drying Rate of Several Species of Wood, W. T. Simpson, 3:247 (No. 5244—$1.50)

Effects of Soaking in Extractives and Prefreezing on the Drying Behavior of Eastern Cottonwood, G. A. Cooper and S. H. Barham, 4:267 (No. 5131—$.60)

Placing Thermocouples in Wood, G. Bramhall, 2:137 (TN-262—$.60)

Proposed Explanation for the Phenomonological Rheology of Prefrozen Redwood, M. M. Chen 1:34 (No. 4963—$1.80)

Shrinkage-Strain-Control (S-S-C)—a New Approach to the Process of Kiln-Drying Wood, E. D. Bello and H. Kubler, 3:191 (No. 5143—$1.40)

Study on Drying of Tree Cross Sections, H. Kubler, 3:173 (No. 5162—$1.50)

Vortex Enhancement of Parallel Plate Heat and Mass Transport, R. N. Meroney and G. Hsi, 4:328 (No. 5297—$1.50)

Gluing

Activation Energy of the Curing Reaction of Phenolic Resin in the Presence of Woods, H. Mizumachi and H. Morita, 3:256 (No. 5004—$1.00)

Relationship of Wettability to Water of Hydration of Selected Tropical Woods, C. M. Chen, 3:198 (No. 5201—$.60)
Study of Urea-Formaldehyde Resin Cure by Bromination and X-Ray Spectrometry, P. R. Steiner, 2:99 (No. 5173—$.80)

Mechanical Fastening

Load-Slip Characteristics of Nails, R. O. Foschi, 1:69 (No. 5082—$1.60)

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Decay Fungus, Light, Moisture Interactions, R. C. De Groot, 3:219 (No. 5283—$.80)
Distribution of Gelatinous Fibers as Related to Lean in Southern Red Oak (*Quercus falcata* Michx.), J. Cano-Capri and L. F. Burkart, 2:135 (TN-273—$.40)
Effect of Gamma Irradiation *In Vivo* on the Flexural Properties of American Elm, C. E. Shuler, J. E. Shottafer, and R. J. Campana, 3:209 (No. 5246—$.80)
Effect of Heat and $NH_4H_2PO_4$ on the Dimensional and Anatomical Properties of Douglas-Fir, D. P. C. Fung, J. A. Stevenson, and J. K. Shields, 1:13 (No. 5122—$1.60)
Fiber Lengths in Stems and Branches of Small Hardwoods on Southern Pine Sites, F. G. Manwiller, 2:130 (No. 5190—$.60)
Intertracheid Pitting in the Radial Walls of Black Spruce Tracheids, Z. Koran, 2:111 (No. 5192—$1.00)
Longitudinal Compressive Creep and Failure Development in White Spruce Compression Wood, 1:1 (No. 5130—$2.40)
Ring Width and Rate of Decay in Oak, E. H. Tryon, C. B. Koch, and W. C. Percival, 4:292 (No. 5227—$.60)
Season and Height Variation in Extractives and Cell Wall Components of Chestnut Oak Bark, A. P. Binotto and W. K. Murphey, 3:185 (No. 5142—$1.40)
Seasonal Variation in Weight of Young Coppice Sycamore, A. Clark III, 4:261 (No. 5313—$1.20)
Specific Gravity Variations of Young River Birch Trees, R. R. Hicks, Jr., D. W. Jones, and R. C. Wendling, 2:169 (No. 5204—$.80)
X-Ray Densitometry: a Technique and an Example of Application, L. Heger, M. L. Parker, and R. W. Kennedy, 2:140 (No. 5230—$1.50)

Chemistry

Activation Energy of the Curing Reaction of Phenolic Resin in the Presence of Woods, H. Mizumachi and H. Morita, 3:256 (No. 5004—$1.00)
Chemical Constituents of Loblolly Pine Bark, G. D. McGinnis and S. Parikh, 4:295 (No. 5209—$.80)
Chemical Modification of Wood: Reactions of Alkylene Oxides With Southern Yellow Pine, R. M. Rowell and D. I. Gutzmer, 3:240 (No. 5240—$1.40)
Effect of Heat and $NH_4H_2PO_4$ on the Dimensional and Anatomical Properties of Douglas-Fir, D. P. C. Fung, J. A. Stevenson, and J. K. Shields, 1:13 (No. 5122—$1.60)
Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, F. C. Beall, W. J. Young, and A. E. Witt, 3:213 (No. 5220—$1.20)
Intra-Incremental Studies of Methylation in Scarlet Oak, K. Y-t. Wu and E. A. McGinnes, 2:92 (No. 5089—$1.40)
Klason and Acid-Soluble Lignin Content of Hardwoods, Y. Musha and D. A. I. Goring, 2:133 (TN-271—$.40)
Relationship of Wettability to Water of Hydration of Selected Tropical Woods, C. M. Chen, 3:198 (No. 5201—$.60)
Season and Height Variation in Extractives and Cell Wall Components of Chestnut Oak Bark, A. P. Binotto and W. K. Murphey, 3:185 (No. 5142—$1.40)
Sorption of Styrene and Acrylonitrile by Wood Aerogels, R. K. Bower and J. D. Wellons, 2:123 (No. 5224—$1.50)
Specific Gravity, Viscosity, and Temperature Relationships of Aqueous PEG-1000 Solutions, H. N. Rosen, 4:308 (No. 5328—$.40)
Stability of Amino-Resin Fire Retardants, S. C. Juneja and D. P. C. Fung, 2:160 (No. 5202—$.80)
Study of Urea-Formaldehyde Resin Cure by Bromination and X-Ray Spectrometry, P. R. Steiner, 2:99 (No. 5173—$.80)

Physics

Analysis of Free-Water Flow During Drying in Softwoods, A. T. Wiley and E. T. Choong, 4:310 (No. 5312—$1.50)
Coefficient of Friction of Dry Slash Pine and Southern Red Oak on Three Tension-Grip Facings, T. J. Lemoine and P. Koch, 3:182 (TN-274—$.60)
Combustion of Cellulosic Materials and Its Retardance—Status and Trends. Part I. Ignition, Combustion Processes, and Syngerism, S. C. Juneja, 3:201 (No. 5282—$1.50)
Determining Moisture Content and Moisture Sorption in Douglas-Fir Bark, J. D. Litvay and M. D. McKimmy, 4:284 (No. 5141—$1.50)
Distortion and Internal Stresses in Lumber Due to Anisotropic Shrinkage, N. N. Hsu and R. C. Tang, 4:298 (No. 5262—$1.50)
Effect of Air-Drying and Rewetting on Hardwood Permeability, P. Y. S. Chen, 4:280 (No. 5016—$.80)
Effect of Heat and $NH_4H_2PO_4$ on the Dimensional and Anatomical Properties of Douglas-Fir, D. P. C. Fung, J. A. Stevenson, and J. K. Shields, 1:13 (No. 5122—$1.60)
Effect of Steaming on the Drying Rate of Several Species of Wood, W. T. Simpson, 3:247 (No. 5244—$1.50)

Effect of Surface Preparation on Gas Permeability of Wood, E. T. Choong, C. W. McMillin, and F. O. Tesoro, 4:319 (TN-285—$.80)

Effects of Soaking in Extractives and Prefreezing on the Drying Behavior of Eastern Cottonwood, G. A. Cooper and S. H. Barham, 4:267 (No. 5131—$.60)

Electron Probe X-Ray Analysis of Selected Anatomical Structures in Copper-Chrome-Arsenic-Treated Wood, H. Greaves, 2:164 (No. 5229—$1.00)

Factors Influencing the Transient Flow of Oils Into Coniferous Woods, A. P. M. Galvao, J. F. Siau, and C. Skaar, 2:85 (No. 5083—$1.40)

Fiber Saturation Point Determination of Once-Dried Wood in Solvents, H. N. Rosen and C. H. VanEtten, 2:149 (No. 5213—$.80)

Heat Effects on Tensile Properties of Douglas-Fir and White Spruce Thin Sections, G. E. Troughton and L. R. Rozon, 2:116 (No. 5182—$1.40)

Influence of Incandescent and Fluorescent Light on the Color of Unfinished Heartwood of Black Walnut and Eastern Redcedar, E. A. McGinnes, Jr., 4:270 (No. 5287—$1.50)

Influence of Steaming on the Properties of Red Oak. Part II. Changes in Shrinkage in the Radial Walls of Black Spruce Tracheids, E. Kubinsky and G. Ifju, 2:103 (No. 5189—$1.50)

Internal Stresses in Wood Logs Due to Anisotropic Shrinkage, N. N. Hsu and R. C. Tang, 1:43 (No. 5022—$1.80)

Placing Thermocouples in Wood, G. Bramhall, 2:137 (TN-262—$.60)

Proposed Explanation for the Phenomenological Rheology of Prefrozen Redwood, M. M. Chen 1:34 (No. 4963—$1.80)

Pyrolysis of Wood Studied by ESR, A. J. Nanassy and D. P. C. Fung, 3:232 (No. 5226—$1.50)

Shrinkage-Strain-Control (S-S-C)—a New Approach to the Process of Kiln-Drying Wood, E. D. Bello and H. Kubler, 3:191 (No. 5143—$1.40)

Study on Drying of Tree Cross Sections, H. Kubler, 3:173 (No. 5162—$1.50)

Vortex Enhancement of Parallel Plate Heat and Mass Transport, R. N. Meroney and G. Hsi, 4:328 (No. 5297—$1.50)

Water Sorption in Green and Remoistened Wood Studied by Broad-Line Component of the Wide Line NMR Spectra, A. J. Nanassy, 1:61 (No. 5120—$1.60)

X-Ray Densitometry: a Technique and an Example of Application, L. Heger, M. L. Parker, and R. W. Kennedy, 2:140 (No. 5230—$1.50)

Wood Engineering and Mechanical Properties

Analysis of Double-Tapered Pitched and Curved Laminated Beam Section, V. K. A. Gopu and J. R. Goodman, 1:52 (No. 5115—$1.80)

Coefficient of Friction of Dry Slash Pine and Southern Red Oak on Three Tension-Grip Facings, T. J. Lemoine and P. Koch, 3:182 (TN-274—$.60)

Composite and Two-Way Action in Wood Joist Floor Systems, Goodman, J. R., M. P. Vanderbilt, M. E. Criswell, and J. Bodig, 1:25 (No. 5114—$1.80)

Effect of Gamma Irradiation *In Vivo* on the Flexural Properties of American Elm, C. E. Shuler, J. E. Shottafer, and R. J. Campana, 3:209 (No. 5246—$.80)

Effect of Stress Level on the Creep of Eastern White Spruce in Bending, D. G. Miller, and P. George, 1:21 (No. 5071—$.80)

Failure Perpendicular to the Grain in Wood Under Sustained Bending Loads, L. Bach, 4:323 (No. 5331—$1.00)

Heat Effects on Tensile Properties of Douglas-Fir and White Spruce Thin Sections, G. E. Troughton and L. R. Rozon, 2:116 (No. 5182—$1.40)

Load Slip Characteristics of Nails, R. O. Foschi, 1:69 (No. 5082—$1.60)

Longitudinal Compressive Creep and Failure Development in White Spruce Compression Wood, 1:1 (No. 5130—$2.40)

Method of Measuring Creep and Recovery Due to Flexural Loads of Short Duration, D. G. Miller and P. George, 2:153 (No. 5218—$1.50)

Specific Gravity Variations of Young River Birch Trees, R. R. Hicks, Jr., D. W. Jones, and R. C. Wendling, 2:169 (No. 5204—$.80)

Strength of Wood Beams With Shallow Curved Notches, D. B. Richards, 1:77 (No. TN-249—$1.60)

Young's Modulus of Wood as Affected by Strain Rate, Grain Angle, and Stress Level, A. Sliker, 3:223 (No. 5250—$1.50)

FPRS Author Index

B

BACH, L., Failure Perpendicular to the Grain in Wood Subjected to Sustained Bending Loads, 4:323 (No. 5331 – $1.00)

BARHAM, S. H., *see* COOPER, G. A.

BEALL, F. C., W. J. YOUNG, and A. E. WITT, Improvement of Physical Properties of Aspen Flakeboard by Polymer Introduction, 3:213 (No. 5220 – $1.20)

BELLO, E. D., and H. KUBLER, Shrinkage-Strain-Control (S-S-C) – a New Approach to the Process of Kiln-Drying Wood, 3:191 (No. 5143 – $1.40)

BINOTTO, A. P., and W. K. MURPHEY, Season and Height Variation in Extractives and Cell Wall Components of Chestnut Oak Bark, 3:185 (No. 5142 – $1.40)

BODIG, J., *see* GOODMAN, J. R.

BOWER, R. K., and J. D. WELLONS, Sorption of Styrene and Acrylonitrile by Wood Aerogels, 2:123 (No. 5224 – $1.50)

BRAMHALL, G., Placing Thermocouples in Wood, 2:137 (TN-262 – $.60)

BURKART, L. F., *see* CANO-CAPRI, J.

C

CAMPANA, R. J., *see* SHULER, C. E.
CANO-CAPRI, J., and BURKART, L. F., Distribution of Gelatinous Fibers as Related to Lean in Southern Red Oak, (*Quercus falcata* Michx.), 2:135 (TN-273 – $.40)
CHEN, C. M., Relationship of Wettability to Water of Hydration of Selected Tropical Woods, 3:198 (No. 5201 – $.60)
CHEN, M. M., Proposed Explanation for the Phenomenological Rheology of Prefrozen Redwood, 1:34 (No. 4963 – $1.80)
CHEN, P. Y. S., Effect of Air-Drying and Rewetting on Hardwood Permeability, 4:280 (No. 5016 – $.80)
CHOONG, E. T., C. W. MCMILLIN, and F. O. TESORO, Effect of Surface Preparation on Gas Permeability of Wood, 4:319 (TN-285 – $.80)
CHOONG, E. T., *see* WILEY, A. T.
CLARK, A. III, Seasonal Variation in Weight of Young Coppice Sycamore, 4:261 (No. 5313 – $1.20)
COOPER, G. A., and S. H. BARHAM, Effects of Soaking in Extractives and Prefreezing on the Drying Behavior of Eastern Cottonwood, 4:267 (No. 5131 – $.60)
CRISWELL, M. E., *see* GOODMAN, J. R.

D

DE GROOT, R. C., Decay Fungus, Light, Moisture Interactions, 3:219 (No. 5283 – $.80)

F

FUNG, D. P. C., *see* JUNEJA, S. C.
FUNG, D. P. C., *see* NANASSY, A. J.
FOSCHI, R. O., Load-Slip Characteristics of Nails, 1:69 (No. 5082 – $1.60)
FUNG, D. P. C., J. A. STEVENSON, and J. K. SHIELDS, Effect of Heat and $NH_4H_2PO_4$ on the Dimensional and Anatomical Properties of Douglas-Fir, 1:13 (No. 5122 – $1.60)

G

GALVAO, A. P. M., J. F. SIAU, and C. SKAAR, Factors Influencing the Transient Flow of Oils Into Coniferous Woods, 2:85 (No. 5083 – $1.40)
GEORGE, P., *see* MILLER, D. G.
GEORGE, P., *see* MILLER, D. G.
GOODMAN, J. R., M. D. VANDERBILT, M. E. CRISWELL, and J. BODIG, Composite and Two-Way Action in Wood Joist Floor Systems, 1:25 (No. 5114 – $1.80)
GOODMAN, J. R., *see* GOPU, V. K. A.
GOPU, V. K. A., and J. R. GOODMAN, Analysis of Double-Tapered Pitched and Curved Laminated Beam Section, 1:52 (No. 5115 – $1.80)
GORING, D. A. I. *see* MUSHA, Y.
GREAVES, H. Electron Probe X-Ray Analysis of Selected Anatomical Structures in Copper-Chrome-Arsenic-Treated Wood, 2:164 (No. 5229 – $1.00)
GUTZMER, D. I., *see* Rowell, R. M.

H

HEGER, L., M. L. PARKER, and R. W. KENNEDY, X-Ray Densitometry: a Technique and an Example of Application, 2:140 (No. 5230 – $1.50)
HICKS, R. R., JR., D. W. JONES, and R. C. WENDLING, Specific Gravity Variations of Young River Birch Trees, 2:169 (No. 5204 – $.80)
HSI, G., *see* MERONEY, R. N.
HSU, N. N., and R. C. TANG, Distortion and Internal Stresses in Lumber Due to Anisotropic Shrinkage, 4:298 (No. 5262 – $1.50)
HSU, N. N., and R. C. TANG, Internal Stresses in Wood Logs Due to Anisotropic Shrinkage, 1:43 (No. 5022 – $1.80)

I

IFJU, G., *see* KUBINSKY, E.

J

JONES, D. W., *see* HICKS, R. R., JR.
JUNEJA, S. C., Combustion of Cellulosic Materials and Its Retardance – Status and Trends. Part I. Ignition, Combustion Processes, and Synergism, 3:201 (No. 5282 – $1.50)
JUNEJA, S. C., and D. P. C. FUNG, Stability of Amino-Resin Fire Retardants 2:160 (No. 5202 – $.80)

K

KEITH, C. T., Longitudinal Compressive Creep and Failure Development in White Spruce Compression Wood, 1:1 (No. 5130 – $2.40)
KENNEDY, R. W., *see*, HEGER, L.
KOCH, C. B., *see* TRYON, E. H.
KOCH, P., *see* LEMOINE, T. J.
KORAN, Z., Intertracheid Pitting in the Radial Walls of Black Spruce Tracheids, 2:111 (No. 5192 – $1.00)
KUBINSKY, E., and G. IFJU, Influence of Steaming on the Properties of Red Oak. Part II. Changes in Shrinkage in the Radial Walls of Black Spruce Tracheids, 2:103 (No. 5189 – $1.50)
KUBLER, H., *see* BELLO, E. D.
KUBLER, H., Study on Drying of Tree Cross Sections, 3:173 (No. 5162 – $1.50)

L

LEMOINE, T. J., and P. KOCH, Coefficient of Friction of Dry Slash Pine and Southern Red Oak on Three Tension-Grip Facings, 3:182 (TN-274 – $.60)
LITVAY, J. D., and M. D. MCKIMMY, Determining Moisture Content and Moisture Sorption in Douglas-Fir Bark, 4:284 (No. 5141 – $1.50)

M

MANWILLER, F. G., Fiber Lengths in Stems and Branches of Small Hardwoods on Southern Pine Sites, 2:130 (No. 5190 – $.60)
MCGINNES, E.A., *see* Wu, K. Y-T.
MCGINNES, E. A., JR., Influence of Incandescent and Fluorescent Light on the Color of Unfinished

Heartwood of Black Walnut and Eastern Redcedar, 4:270 (No. 5287 – $1.50)
McGinnis, G. D., and S. Parikh, Chemical Constituents of Loblolly Pine Bark, 4:295 (No. 5209 – $.80)
McKimmy, M. D., *see* Litvay, J. D.
McMillin, C. W., *see* Choong, E. T.
Meroney, R. N., and G. Hsi, Vortex Enhancement of Parallel Plate Heat and Mass Transport, 4:328 (No. 5297 – $1.50)
Miller, D. G., and P. George, Effect of Stress Level on the Creep of Eastern White Spruce in Bending, 1:21 (No. 5071 – $.80)
Miller, D. G., and P. George, Method of Measuring Creep and Recovery Due to Flexural Loads of Short Duration, 2:153 (No. 5218 – $1.50)
Mizumachi, H., and H. Morita, Activation Energy of the Curing Reaction of Phenolic Resin in the Presence of Woods, 3:256 (No. 5004 – $1.00)
Morita, H., *see* Mizumachi, H.
Murphey, W. K., *see* Binotto, A. P.
Musha, Y., and D. A. I. Goring, Klason and Acid-Soluble Lignin Content of Hardwoods, 2:133 (TN-271 – $.40)

N

Nanassy, A. J., Water Sorption in Green and Remoistened Wood Studied by Broad-Line Component of the Wide Line NMR Spectra, 1:61 (No. 5120 – $1.60)
Nanassy, A. J., and D. P. C. Fung, Pyrolysis of Wood Studied by ESR, 3:232 (No. 5226 – $1.50)

P

Parikh, S., *see* McGinnis, G. D.
Parker, M. L., *see* Heger, L.
Percival, W. C., *see* Tryon, E. H.

R

Richards, D. B., Strength of Wood Beams With Curved Notches, 1:77 (No. TN-249 – $1.60)
Rosen, H. N., Specific Gravity, Viscosity, and Temperature Relationships of Aqueous PEG-1000 Solutions, 4:308 (No. 5328 – $.40)
Rosen, H. N., and C. H. VanEtten, Fiber Saturation Point Determination of Once-Dried Wood in Solvents, 2:149 (No. 5213 – $.80)
Rowell, R. M., and D. I. Gutzmer, Chemical Modification of Wood: Reactions of Alkylene Oxides With Southern Yellow Pine, 3:240 (No. 5240 – $1.40)
Rozon, L. R., *see* Troughton, G. E.

S

Shields, J. K., *see* Fung, D. P. C.
Shottafer, J. E., *see* Shuler, C. E.
Shuler, C. E., J. E. Shottafer, and R. J. Campana, Effect of Gamma Irradiation *In Vivo* on the Flexural Properties of American Elm, 3:209 (No. 5246 – $.80)
Siau, J. F., *see* Galvao, A. P. M.
Simpson, W. T., Effect of Steaming on the Drying Rate of Several Species of Wood, 3:247 (No. 5244 – $1.50)
Skaar, C., *see* Galvao, A. P. M.
Sliker, A., Young's Modulus of Wood as Affected by Strain Rate, Grain Angle, and Stress Level, 3:223 (No. 5250 – $1.50)
Steiner, P. R., Study of Urea-Formaldehyde Resin Cure by Bromination and X-Ray Spectrometry, 2:99 (No. 5173 – $.80)
Stevenson, J. A., *see* Fung, D. P. C.

T

Tang, R. C., *see* Hsu, N. N.
Tesoro, F. O., *see* Choong, E. T.
Troughton, G. E., and L. R. Rozon, Heat Effects on Tensile Properties of Douglas-Fir and White Spruce Thin Sections, 2:116 (No. 5182 – $1.40)
Tryon, E. H., C. B. Koch, and W. C. Percival, Ring Width and Rate of Decay in Oak, 4:292 (No. 5227 – $.60)

V

VanEtten, C. H., *see* Rosen, H. N.
Vanderbilt, M. D., *see* Goodman, J. R.

W

Wellons, J. D., *see* Bower, R. K.
Wendling, R. C., *see* Hicks, R. R. Jr.
Wiley, A. T., and E. T. Choong, Analysis of Free-Water Flow During Drying in Softwoods, 4:310 (No. 5312 – $1.50)
Witt, A. E., *see* Beall, F. C.
Wu, K. Y-T., and E. A. McGinnes, Intra-Incremental Studies of Methylation in Scarlet Oak, 2:92 (No. 5089 – $1.40)

Y

Young, W. J., *see* Beall, F. C.